Material Safety Data Sheet

Zero Stat-Mat Cleaner	Hanandana NO	
Ground Zero	Hazardous - NO	
2.0. Box 70	Health	1 1 1
Bradenton, FL 34206		0 1
·	Reactivity	0
	Personal Protection	B
Telephone Number for Information		
941-751-7581	4 = Most Hazardous	
Date Prepared	Emergency Phone Number	
	on Center	
Prepared By: T.B. Pitrolffy		
SECTION II - HAZARDOUS INGREDIEN	TS	
Harandana Gamaran	DEL MIN COURT OF LONG	0
Hazardous Components l CAS Reg# p		% (ont)
CAS Reg# PI	pm ppm ppm	(opt)
PER 29CFR 1910, 1200 AND		
M.G.L. c. 111 F		
·	CHARACTERISTICS	
M.G.L. c. 111 F	CHARACTERISTICS Specific Gravity(Water=1)	- 0.95
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (- 0.95 - N.A.
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1)	- N.A. 35
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature	- N.A. 35
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA.	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1)	- N.A. 35
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA. pH - 7.0 +/5	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE	- N.A. 35
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA.	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE	- N.A. 35
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA. pH - 7.0 +/5	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE Liquid	- N.A. 35
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA. pH - 7.0 +/5 Appearance and Odor -Light Blue SECTION IV - FIRE AND EXPLOSION 1	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE Liquid HAZARD DATA	- N.A. 35
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA. pH - 7.0 +/5 Appearance and Odor -Light Blue	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE Liquid	- N.A. 35 -NA.
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA. pH - 7.0 +/5 Appearance and Odor -Light Blue SECTION IV - FIRE AND EXPLOSION 1	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE Liquid HAZARD DATA Flammable Limits	- N.A. 35 -NA.
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA. pH - 7.0 +/5 Appearance and Odor -Light Blue SECTION IV - FIRE AND EXPLOSION I Flash Point - N.A. Extinguishing media - N.A.	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE Liquid HAZARD DATA Flammable Limits	- N.A. 35 -NA.
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA. pH - 7.0 +/5 Appearance and Odor -Light Blue SECTION IV - FIRE AND EXPLOSION I	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE Liquid HAZARD DATA Flammable Limits	- N.A. 35 -NA.
M.G.L. c. 111 F SECTION III - PHYSICAL/CHEMICAL (Boiling point - 209F Vapor Pressure (mm Hg) - 18 Vapor Density (air=1)98 Viscosity (CPS) - 5.0 Auto Ignition Temp NA. pH - 7.0 +/5 Appearance and Odor -Light Blue SECTION IV - FIRE AND EXPLOSION I Flash Point - N.A. Extinguishing media - N.A.	Specific Gravity(Water=1) Melting Point Evaporation Rate(Butyl Acetate=1) Decomposition Temperature Solubility in Water -COMPLETE Liquid HAZARD DATA Flammable Limits LEL - N.A. UEL - N.	- N.A. 35 -NA.

SECTION V - REACTIVITY DATA

Stability - STABLE

Conditions to Avoid - N.A.

Incompatibility - ACIDS

Hazardous Decomposition or Byproduct - N.A.

Hazardous Polymerization - WILL NOT OCCUR Conditions to Avoid - N.A.

The information herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or results to be obtained from use thereof.

Essentially similar to OSHA form # 174

SECTION VI - HEALTH HAZARD DATA

Routes of entry:

Inhalation - NO Skin - NO Ingestion - YES

Health Hazards-Acute: CAUSES EYE AND SKIN IRRITATION

CHRONIC: REDNESS OF SKIN

Carcinogenicity: NO

NTP - N.A. IARC Monographs - N.A. OSHA Regulated - NO Signs and Symptoms of Exposure - ITCHING, BURNING SENSATION REDNESS

Medical Conditions Aggravated - SENSITIZED SKIN

Emergency and First Aid Procedures - WASH CONTACT AREAS WITH WATER FOR 15 MINUTES. INGESTION: GIVE MILK, WATER OR CITRUS JUICE, INDUCE VOMITING WITH OIL OF IPECAC. MOVE SUBJECT TO FRESH AIR

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled - DIKE AND COLLECT MATERIAL INTO PLASTIC CONTAINER. WATER RINSE AND DRAIN, FLUSH SMALL AMOUNTS. (BIODEGRADABLE)

Waste Disposal Method - USE SANITARY LANDFILL DISPOSAL. (NOT A HAZARDOUS WASTE) FOLLOW STATE AND LOCAL REGULATIONS (RCRA; SUBTITLE D)

Precautions to be Taken in Handling and Storage -

DO NOT MIX WITH OTHER CHEMICALS.

AVOID PROLONGED CONTACT. KEEP FROM FREEZING.

Other Precautions - STORE IN SECURE AREA. AVOID FOOD CONTAMINATION.

AVOID PROLONGED INHALATION OF VAPORS. KEEP OUT OF REACH OF CHILDREN!

SECTION VIII - CONTROL MEASURES

Respiratory Protection - NOT REQUIRED WITH NORMAL USE

Ventilation Local Exhaust - N.A.

Mechanical - N.A. Special - N.A.

- ASSURE FRESH AIR CIRCULATION. Other

Protective Gloves - REQUIRED: RUBBER, PLASTIC

Eye Protection - RECOMMENDED: SAFETY GLASSES

Other Protection - APRON RECOMMENDED

EYE WASH FACILITY

Work/Hygienic Practices - DO NOT EAT, DRINK NEXT TO MATERIAL.

WASH HANDS AFTER WORK.

SECTION IX - TRANSPORTATION

49 CFR

Labels - NO.

Unit Cont. - 55,30,5,1 GAL.,1 QT. PLASTIC Report Qty. (Lbs) - NA.

OSHA - NOT REGULATED.

DOT - NOT REGULATED.

UN - NOT REGULATED.

Vendor assumes no responsiblity for injury to vendee or third person proximately caused if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Further more, vendee assumes the risk in use of the material.